aseke® STAINLESS CHAINS IN BUNDLES

SEAWATER RESISTANT AISI 316 L (from dia6mm), DEMAGNETIZED, ELEKTROLYTICALLY POLISHED
PRODUCED ON GERMAN 'WAFIOS' FULLY-AUTOMATIC CUTTING, BENDING AND WELDING MACHINES.
CERTIFIED TO EN-10204 3.1 (CHEMICAL AND MECHANICAL PROPERTIES)
DOUBLE WELDING PROCESS FROM 6MM DIA SHORT LINK AND 10MM DIA LONG LINK, RESULTING IN EXTRA HIGH BREAKING LOADS.

SHORT LINK

DIN 766/ISO 4565 CALIBRATED, FOR USE ON WINCHES

ITEM NO	t	l	b	KG PER METER	MBL	METER PER BUNDLE
923003	3 MM	16	11	0,22	440 KG	30
923004	4 MM	16	14	0,32	800 KG	30
923005	5 MM	18,5	17	0,50	1 300 KG	30
923006	6 MM	18,5	20	0,75	1 800 KG	30/40/50
923007	7 MM	22	23	1,00	2 600 KG	30/50
923008	8 MM	24	26	1,35	4 000 KG	50/100
923010	10 MM DIN 766	28	34	2,25	6 400 KG	50/100
923013	13 MM	36	44	3,80	11 000 KG	50/100
923016	16 MM	45	54	5,80	20 000 KG	50/100
923019	19 MM	57	64	9,06	28 400 KG	100



NORWEGIAN STANDARD, CALIBRATED FOR USE ON WINCHES

ITEM NO	t	l	b	KG PER METER	MBL	METER PER BUNDLE
923065	6,5 MM	24	23	0,9	2 700 KG	50

LONG LINK

DIN 763/DIN 5685C

ITEM NO	t	l	b	KG PER METER	MBL	METER PER BUNDLE
923102	2 MM	22	8	0,15	125 KG	30
923103	3 MM	26	12	0,20	440 KG	30
923104	4 MM	32	16	0,27	800 KG	30
923105	5 MM	36	20	0,43	1 300 KG	30
923106	6 MM	42	24	0,63	1 800 KG	30
923108	8 MM	54	32	1,10	4 000 KG	30
923110	10 MM	66	40	1,75	6 400 KG	100
923113	13 MM	82	50	2,95	11 000 KG	100
923116	16 MM	100	60	4,50	20 000 KG	100
923119	19 MM	127	76	6,50	28 400 KG	100

TEST REPORTS FROM INDEPENDENT TEST SOCIETIES CAN BE PROVIDED

CHAIN CUTTER

ITEM NO	WIDTH CM	LENGTH CM	MAX DIA CAPACITY
950029	90		8 MM DIA
950030	16	0	13 MM DIA